



COURIER: 307-3450 Uptown Blvd. Victoria, BC V8Z 0B9
MAIL: PO Box 9244 Victoria, B.C. V8W 9J2
FAX: (250) 920-7181 **P:** (604) 320-1664 **TF:** 1 888 777-4393
 www.consumerprotectionbc.ca

**APPRENTICESHIP EMPLOYER
 SUPERVISION & FACILITY
 DECLARATION**

The information in this declaration is required under Section 37(3) of the Cremation, Interment and Funeral Services Regulation.

Every apprentice must be employed by a licensed funeral provider who maintains or has access to facilities suitable for the full range of funeral services including a private arrangement room and a preparation room for the disinfecting, preservation and restoration of human remains.

The funeral provider must also have a current license to do business in B.C. and the license must be displayed in a conspicuous place on the premises that is accessible to the public (*Cremation, Interment and Funeral Services Act*).

The licensed provider (the employer) and supervisor (trainer) are responsible for the apprenticeship of:

APPRENTICE NAME: _____

EMPLOYER BUSINESS NAME: _____

EMPLOYER LICENSE NUMBER: _____

SUPERVISOR NAME(S): _____

SUPERVISOR LICENSE NUMBER(S): _____

Every apprentice must be trained under the direct supervision of a funeral director/embalmer who maintains a current license to funeral direct/embalm in the province of BC. Under the Cremation, Interment and Funeral Services Regulation, direct supervision means that a licensed funeral director and/or embalmer is present at the time the apprentice is assisting with, or performing the duties of a funeral director or embalmer.

EMPLOYER TRAINING FACILITY REQUIREMENTS

In addition to the above declaration concerning supervisory requirements, every employer who is responsible for training an apprentice shall have, or have access to facilities for the disinfection, preservation and restoration of human remains. These facilities must meet the requirements of Section 32 of the Cremation, Interment and Funeral Services Regulation as follows:

Facility requirements for funeral providers

- 32** (1) A funeral provider must ensure that any meeting with one or more customers or potential customers occurs in a separate room that is private and suitable for the purpose of discussing funeral services.
- (2) If a funeral provider accepts human remains and does not do disinfecting, preservation or restoration of human remains, the funeral provider must have at least one separate room for the care and preparation of human remains prior to disposition, and must ensure that this room meets the following requirements:
 - (a) is at least 11 square metres in size;
 - (b) is clearly labeled from the outside to prohibit access by anyone other than staff of the funeral provider and other authorized persons;
 - (c) is well lit and mechanically ventilated to the outside of the building;
 - (d) is capable of being easily disinfected;
 - (e) the surfaces of the room are composed of non-porous materials that are capable of preventing fluids from soaking into them;
 - (f) is equipped with a first aid kit;

